



PRODUCT CATALOG

TABLE OF CONTENTS

TABLE OF CONTENTS	1
A B O U T	2
SUPPRESSORS	3
9X19MM CALIBER	7
7.62X39MM CALIBER	13
7.62X51MM CALIBER	16
HANDGUARDS	24
S S	

For over 15 years, PTR has been committed to making the most reliable and accurate roller-lock weapons in the world. Through precision manufacturing, an unwavering commitment to quality, and exceptional customer service, we are committed to providing the very best overall client experience.

We are proud of our guns and where they are made—in Aynor, South Carolina, with every part manufactured in the USA. We chose to focus on the roller-lock system because it is a time-tested, PROVEN design that delivers smooth operation and high accuracy. This weapon system has a long and revered reputation with law enforcement and military professionals the world over, which PTR extends to the present day.

When PTR started out, our rifles were assembled largely from surplus parts sourced overseas. Today, we manufacture virtually every component of our firearms here in our own South Carolina plant. This self-sufficiency gives us control of both the quality and the distribution of our products. We take the time necessary to ensure that every firearm that leaves our factory is worthy of the TRUSTED position the roller-lock system has earned over the years with the professionals whose lives depend on it.


Using cutting-edge technology, advanced materials, and top-of-the-line manufacturing processes, our firearms are constantly being **REFINED**. Our talented designers, engineers, machinists, gunsmiths, assemblers, and testers work together to make a product that we are not only proud to be associated with; we want to buy it ourselves. We continually invest in new equipment and machinery to ensure we can make the highest quality product at the best possible price.

While we are proud of our accomplishments to date, we are most excited about the future, as we hold fast to our mission to keep refining our firearms as we continue to grow.



THE ALL NEW

WENT SUPPRESSORS




The new, ultra-high performance patented VENT™ Suppressor utilizes the next generation of suppressor technology. The design features sintered titanium and patented Purposely Induced Porosity (PIP), which enables it to outperform nearly every competitor in the market with its unique combination of lightweight, heat dissipation, sound suppression, and back pressure reduction. These suppressors employ a 3D-printed, monolithic, body-to-core structure, increasing their structural integrity and thermal resilience. This revolutionary design eliminates failure points often associated with traditional suppressors. Through the use of Purposely Induced Porosity (PIP), PTR's engineers are able to finely tune the strength, density, heat capacity, and thermal conductivity of the VENT™ suppressors in ways that are beyond the capabilities of traditional manufacturing. This industry leading technology creates a new way to control the rapid expansion of gas that traditional baffle and flow through suppressors are unable to achieve, making the new line of VENT™ Suppressors truly cutting-edge and superior in the marketplace.

VENT™ 1

THE INDUSTRY LEADING VENT™ SUPPRESSOR WAS CREATED WITH A PATENTED MONOLITHIC 3D PRINTED TECHNOLOGY THAT PRECISELY TUNES THE STRENGTH, DENSITY, HEAT CAPACITY, AND THERMAL CONDUCTIVITY. THROUGH THE USE OF PURPOSELY INDUCED POROSITY (PIP) THE VENT™ SUPPRESSOR CONTROLS THE RAPID EXPANSION OF GAS IN A WAY THAT OTHER SUPPRESSORS HAVE BEEN UNABLE TO ACHIEVE.





SOUND DATA

SUPPRESSION	MUZZLE AVG	REDUCTION	FIREARM	BARREL LENGTH	A M M U N I T I O N	A CTION
Unsuppressed	167.4 dB		PTR GI	18"	Lake City M80 168gr	Semi-Auto
VSMI + Direct Thread	133.82 dB	-33.8 dB	PTR GI	18"	Lake City M80 168gr	Semi-Auto

SPECIFICATIONS

CALIBER 7.62x51mm

OVERALL FINISH PVD Coating

MATERIAL 3D Printed Titanium

RATED FUII-Auto Capable

SUPPLIED ADAPTER Direct Thread, Thread Pitch 5/8×24

LENGTH 8.74"
DIAMETER 1.75"
WEIGHT 12.30Z
COLOR BIACK

ADDITIONAL FEATURES Suppressor is threaded 1 3/8 x 24 for optional adapter,

Patented 3D-printed monolithic structure with purposely induced porosity (PIP)

Covered by one or more of the following U.S. Patents: 9,470,466/9,777,979/9,982,959/10,330,418/11,092,399/10,690,431/11,435,155

ORDERING








VENT™ 2
ITEM# VSM2

THE INDUSTRY LEADING VENTIM SUPPRESSOR WAS CREATED WITH A PATENTED MONOLITHIC 3D PRINTED TECHNOLOGY THAT PRECISELY TUNES THE STRENGTH, DENSITY, HEAT CAPACITY, AND THERMAL CONDUCTIVITY. THROUGH THE USE OF PURPOSELY INDUCED POROSITY (PIP) THE VENTIM SUPPRESSOR CONTROLS THE RAPID EXPANSION OF GAS IN A WAY THAT OTHER SUPPRESSORS HAVE BEEN UNABLE TO ACHIEVE.



SOUND DATA

SUPPRESSION	MUZZLE AVG	REDUCTION	FIREARM	BARREL LENGTH	A M M U N I T I O N	ACTION
Unsuppressed	156.46 dB		PTR CT	8.86"	Federal FMJ 147gr	Semi-Auto
VSM2 + Direct Thread	124.37 dB	-32.1 dB	PTR CT	8.86"	Federal FMJ 147gr	Semi-Auto

SPECIFICATIONS

CALIBER 9x19mm

OVERALL FINISH PVD Coating

MATERIAL 3D Printed Titanium

RATED Full-Auto Capable

SUPPLIED ADAPTER Direct Thread, Thread Pitch 1/2×28

LENGTH 7.6"
DIAMETER 1.5"
WEIGHT 7.60Z

COLOR Black

ADDITIONAL FEATURES Suppressor is threaded 1 1/8×28 for optional adapter,

Patented 3D-printed monolithic structure with purposely induced porosity (PIP)

Covered by one or more of the following U.S. Patents: 9,470,466/9,777,979/9,982,959/10,330,418/11,092,399/10,690,431/11,435,155

ORDERING

ITEM #: VSM2

MSRP:

U P C


897903003586



VENT M 3

THE INDUSTRY LEADING VENT^{IM} SUPPRESSOR WAS CREATED WITH A PATENTED MONOLITHIC 3D PRINTED TECHNOLOGY THAT PRECISELY TUNES THE STRENGTH, DENSITY, HEAT CAPACITY, AND THERMAL CONDUCTIVITY. THROUGH THE USE OF PURPOSELY INDUCED POROSITY (PIP) THE VENT^{IM} SUPPRESSOR CONTROLS THE RAPID EXPANSION OF GAS IN A WAY THAT OTHER SUPPRESSORS HAVE BEEN UNABLE TO ACHIEVE.





SOUND DATA

SUPPRESSION	MUZZLE AVG	REDUCTION	FIREARM	BARREL LENGTH	AMMUNITION	A CTION
Unsuppressed	165.0 dB		PTR 63	16.1"	Wolf 55gr	Semi-Auto
VSM3 + Direct Thread	130.04 dB	-34.6 dB	PTR 63	16.1"	Wolf 55gr	Semi-Auto

SPECIFICATIONS

ITEM #: VSM3

N/A

II P C

897903003609

ORDERING

CALIBER 5.56x45mm

OVERALL FINISH PVD Coating

MATERIAL 3D Printed Titanium

RATED Full-Auto Capable

SUPPLIED ADAPTER Direct Thread, Thread Pitch 1/2×28

LENGTH 7.41"
DIAMETER 1.575"
WEIGHT 8.90Z
COLOR BIACK

ADDITIONAL FEATURES Suppressor is threaded 1 3/8×24 for optional adapter,

Patented 3D-printed monolithic structure with purposely induced porosity (PIP)

Covered by one or more of the following U.S. Patents: 9,470,466/9, 777,979/9,982,959/10, 330,418/11,092,399/10,690,431/11,435,155



9CT-CL ITEM# PTR 604





SPECIFICATIONS

CALIBER 9x19mm

OPERATING SYSTEM Roller-delayed blowback

ACTION Semi-automatic (Host ready for NFA-registered auto sear pack)

CARRIER Nitride heat treated, tungsten dead-blow weighted, full-auto bolt carrier

OVERALL FINISH Powder coated over Parkerizing

BARREL 8.86" Nitride heat treated, 3-lug and threaded 1/2" x 28, twist 1 in 10" RH

OPTIC MOUNT Traditional claw mount

HANDGUARD Traditional polymer

TRIGGER PULL 9-10 lbs.

MAGAZINE 20-Round steel

LENGTH 17.6" WEIGHT 5 lbs.

CASE Cardboard case

ACCESSORIES 2 Magazines, single-point bungee sling, cable lock

ORDERING

ITEM #: PTR 604

\$1897

UPC:





CALIBER 9x19mm

OPERATING SYSTEM Roller-delayed blowback

ACTION Semi-automatic (Host ready for NFA-registered auto sear pack)

CARRIER Nitride heat treated, tungsten dead-blow weighted, full-auto bolt carrier

OVERALL FINISH Powder coated over Parkerizing

BARREL 8.86" Nitride heat treated, 3-lug, no threads, twist 1 in 10" RH

OPTIC MOUNT 4.5" Steel picatinny rail

HANDGUARD PTR HG3 Mil-spec anodized aluminum M-LOK®

TRIGGER PULL 9-10 lbs.

MAGAZINE 30-Round steel

LENGTH 17.6"

WEIGHT 5.05 lbs.

CASE Heavy duty range case with contoured foam padding

ACCESSORIES 2 Magazines, rear sight adjustment tool, single-point bungee sling, cable lock

ORDERING

ITEM #: PTR 600

\$1994

UPC:





CALIBER 9x19mm

OPERATING SYSTEM Roller-delayed blowback

ACTION Semi-automatic (Host ready for NFA-registered auto sear pack)

CARRIER Nitride heat treated, tungsten dead-blow weighted, full-auto bolt carrier

OVERALL FINISH Powder coated over Parkerizing

BARREL 8.86" Nitride heat treated, 3-lug and threaded 1/2" x 28, twist 1 in 10" RH

OPTIC MOUNT 4.5" Steel picatinny rail

HANDGUARD PTR HG1 Mil-spec anodized aluminum M-LOK®

TRIGGER PULL 9-10 lbs.

MAGAZINE 30-Round steel

LENGTH 17.6"

WEIGHT 5.05 lbs.

CASE Heavy duty range case with contoured foam padding

ACCESSORIES 2 Magazines, rear sight adjustment tool, single-point bungee sling, cable lock

ORDERING

PTR 601

\$1994

UPC





ORDERING

CALIBER 9x19mm

OPERATING SYSTEM Roller-delayed blowback

ACTION Semi-automatic (Host ready for NFA-registered auto sear pack)

CARRIER Nitride heat treated, tungsten dead-blow weighted, full-auto bolt carrier

OVERALL FINISH Powder coated over Parkerizing

BARREL 5.16" Nitride heat treated, 3-lug and threaded 1/2" x 28, twist 1 in 10" RH

OPTIC MOUNT 2.55" Steel picatinny rail

HANDGUARD PTR HG1 Mil-spec anodized aluminum M-LOK® with finger guard

TRIGGER PULL 9-10 lbs.

MAGAZINE 30-Round steel

LENGTH 13.38"

WEIGHT 4.8 lbs.

CASE Heavy duty range case with contoured foam padding

ACCESSORIES 2 Magazines, rear sight adjustment tool, single-point bungee sling, cable lock

ITEM #: PTR 603

MSRP: \$1994

JPC:





CALIBER	9x19mm

OPERATING SYSTEM Roller-delayed blowback

ACTION Semi-automatic (Host ready for NFA-registered auto sear pack)

CARRIER Nitride heat treated, tungsten dead-blow weighted, full-auto bolt carrier

OVERALL FINISH Powder coated over Parkerizing

BARREL 16.2" Stress relieved carbine barrel, twist 1 in 10" RH

OPTIC MOUNT 4.5" Steel picatinny rail

HANDGUARD Mil-spec anodized aluminum M-LOK®

TRIGGER PULL 9-10 lbs.

MAGAZINE 30-Round steel


LENGTH 34.5"

WEIGHT 6.32 lbs.

CASE Polymer rifle case with foam padding

ACCESSORIES 2 Magazines, rear sight adjustment tool, cable lock

ITEM #:	UPC:	MSRP:
PTR 608	897903003180	\$1858
PTR 408	897903003227	\$1941







CALIBER 7.62x39mm

OPERATING SYSTEM Roller-delayed blowback

ACTION Semi-automatic (Host ready for NFA-registered auto sear pack)

CARRIER Heat treated, full-auto bolt carrier
OVERALL FINISH Powder coated over Parkerizing

BARREL 16" Stress relieved, heavy contour, threaded 5/8" x 24, twist 1 in 10" RH

OPTIC MOUNT 7.5" Steel picatinny rail HANDGUARD Polymer slim-line

HANDUUAND PUIVIIIGI SIIIII-II

TRIGGER PULL 9-10 lbs.

MAGAZINE 30-Round polymer

LENGTH 38.5" WEIGHT 9.3 lbs.

CASE Polymer rifle case with foam padding

ACCESSORIES 1 Magazine, cable lock

ITEM #:	UPC:	MSRP:
PTR 200	897903002688	\$1747
PTR 500 CA COMPLIANT	897903003029	\$1830

32P PDWR





SPECIFICATIONS

CALIBER 7.62x39mm

OPERATING SYSTEM Roller-delayed blowback

ACTION Semi-automatic (Host ready for NFA-registered auto sear pack)

CARRIER Heat treated, full-auto bolt carrier
OVERALL FINISH Powder coated over Parkerizing

BARREL 8.5" Stress relieved, heavy contour, threaded 5/8" x 24, twist 1 in 10" RH

OPTIC MOUNT 7.5" Steel picatinny rail HANDGUARD Traditional polymer

TRIGGER PULL 9-10 lbs.

MAGAZINE 30-Round polymer

LENGTH 23.5" WEIGHT 7.9 lbs.

CASE Polymer case with foam padding

ACCESSORIES 1 Magazine, cable lock

ITEM #: PTR 203

MSRP: \$1855

JPC:

897903002374







CALIBER .308 Win. (7.62x51mm)

OPERATING SYSTEM Roller-delayed blowback

ACTION Semi-automatic (Host ready for NFA-registered auto sear pack)

CARRIER Heat treated, full-auto bolt carrier

OVERALL FINISH Parkerized

BARREL 18" Stress relieved, tapered contour, threaded 5/8" x 24, twist 1 in 10" RH

OPTIC MOUNT Traditional claw mount

HANDGUARD Polymer slim-line

TRIGGER PULL 9-10 lbs.

MAGAZINE 20-Round aluminum

LENGTH 40.5" WEIGHT 9.5 lbs.

COLOR Black with surplus green furniture, color may vary

CASE Cardboard case

ACCESSORIES 1 Magazine, cable lock

*STOCK SET AND METAL LOWER TRIGGER PACKS ARE MILITARY SURPLUS RATED NRA GOOD AND MAY SHOW CHARACTER AND BLEMISHES LIKE SCRATCHES AND WEAR.

ITEM #:	UPC:	MSRP:
PTR 100	897903002312	\$1535
PTR 405 CA COMPLIANT	897903002619	\$1618





CALIBER .308 Win. (7.62x51mm)
OPERATING SYSTEM Roller-delayed blowback

ACTION Semi-automatic (Host ready for NFA-registered auto sear pack)

CARRIER Heat treated, full-auto bolt carrier

OVERALL FINISH Parkerized

BARREL 18" Stress relieved, tapered contour, threaded 5/8" x 24, twist 1 in 10" RH

OPTIC MOUNT 7.5" Steel picatinny rail

HANDGUARD Polymer slim-line

TRIGGER PULL 9-10 lbs.

MAGAZINE 20-Round aluminum

LENGTH 40.5" WEIGHT 9.5 lbs.

COLOR Black with surplus green furniture, color may vary

CASE Cardboard case

ACCESSORIES 1 Magazine, cable lock

*STOCK SET AND METAL LOWER TRIGGER PACKS ARE MILITARY SURPLUS RATED NRA GOOD AND MAY SHOW CHARACTER AND BLEMISHES LIKE SCRATCHES AND WEAR.

ITEM #:	UPC:	MSRP:
PTR 101	897903002213	\$1588
PTR 400	897903002428	\$1671





OPERATING SYSTEM Roller-delayed blowback

ACTION Semi-automatic (Host ready for NFA-registered auto sear pack)

CARRIER Heat treated, full-auto bolt carrier

.308 Win. (7.62x51mm)

OVERALL FINISH Parkerized

CALIBER

BARREL 16" Stress relieved, tapered contour, threaded 5/8" x 24, twist 1 in 10" RH

OPTIC MOUNT 7.5" Steel picatinny rail

HANDGUARD Polymer slim line

TRIGGER PULL 9-10 lbs.

MAGAZINE 20-Round aluminum

LENGTH 38.5"

WEIGHT 9.5 lbs.

COLOR Black with surplus green furniture, color may vary

CASE Cardboard case

ACCESSORIES 1 Magazine, cable lock

*STOCK SET AND METAL LOWER TRIGGER PACKS ARE MILITARY SURPLUS RATED NRA GOOD AND MAY SHOW CHARACTER AND BLEMISHES LIKE SCRATCHES AND WEAR.

ITEM #:	UPC:	MSRP:
PTR 113	897903003371	\$1588
PTR 409	897903003395	\$1671





CALIBER .308 Win. (7.62x51mm)

OPERATING SYSTEM Roller-delayed blowback

ACTION Semi-automatic (Host ready for NFA-registered auto sear pack)

CARRIER Heat treated, full-auto bolt carrier OVERALL FINISH Powder coated over Parkerizing

> BARREL 18" Stress relieved, tapered contour, threaded 5/8" x 24, twist 1 in 10" RH

7.5" Steel picatinny rail OPTIC MOUNT HANDGUARD Polymer slim-line

TRIGGER PULL 9-10 lbs.

> MAGAZINE 20-Round aluminum

LENGTH 40.5" WEIGHT 9.5 lbs.

CASE Polymer case with foam padding

ACCESSORIES 1 Magazine, cable lock

ITEM #:	UPC:	MSRP:
PTR 109	897903002718	\$1650
PTR 406	897903003043	\$1733





SPECIFICATIONS

CALIBER	.308 Win. (7.62x51mm)
OPERATING SYSTEM	Roller-delayed blowback

ACTION Semi-automatic (Host ready for NFA-registered auto sear pack)

CARRIER Heat treated, full-auto bolt carrier
OVERALL FINISH Powder coated over Parkerizing

BARREL 16" Stress relieved, tapered contour, threaded 5/8" x 24, twist 1 in 10" RH

OPTIC MOUNT 7.5" Steel picatinny rail HANDGUARD Polymer slim-line

TRIGGER PULL 9-10 lbs.

MAGAZINE 20-Round aluminum

LENGTH 38.5" WEIGHT 9.3 lbs.

CASE Polymer case with foam padding

ACCESSORIES 1 Magazine, cable lock

ITEM #:	UPC:	MSRP:
PTR 114	897903003418	\$1650
PTR 410 Ga compliant	897903003432	\$1733





ORDERING

CALIBER .308 Win. (7.62x51mm)
OPERATING SYSTEM Roller-delayed blowback

ACTION Semi-automatic (Host ready for NFA-registered auto sear pack)

CARRIER Heat treated, full-auto bolt carrier
OVERALL FINISH Powder coated over Parkerizing

BARREL 8.5" Stress relieved, heavy contour, threaded 5/8" x 24, twist 1 in 10" RH

OPTIC MOUNT 7.5" Steel picatinny rail HANDGUARD Traditional polymer

TRIGGER PULL 9-10 lbs.

MAGAZINE 20-Round aluminum

LENGTH 23.5" WEIGHT 7.9 lbs.

CASE Polymer case with foam padding

ACCESSORIES 1 Magazine, cable lock

PTR 110

\$1772

UPC:

PDWR ITEM# PTR 105





SPECIFICATIONS

ORDERING

CALIBER .308 Win. (7.62x51mm)

OPERATING SYSTEM Roller-delayed blowback

ACTION Semi-automatic (Host ready for NFA-registered auto sear pack)

CARRIER Heat treated, full-auto bolt carrier
OVERALL FINISH Powder coated over Parkerizing

BARREL 8.5" Stress relieved, heavy contour, threaded 5/8" x 24, twist 1 in 10" RH

OPTIC MOUNT 7.5" Steel picatinny rail

HANDGUARD PTR HG3 Mil-spec anodized aluminum M-LOK®

TRIGGER PULL 9-10 lbs.

MAGAZINE 20-Round aluminum

LENGTH 23.5" WEIGHT 8.1 lbs.

CASE Polymer case with foam padding

ACCESSORIES 1 Magazine, cable lock

ITEM #: PTR 105

\$1769

UPC:



HANDGUARDS





OVERALL FINISH MII-spec anodized

MATERIAL Aluminum MOUNTING STYLE M-LOK®

LENGTH 2.56"
DIAMETER 1.57"
WEIGHT 2.50Z

COLOR Black

PTR COMPATIBILITY 9KT, May fit other brands of like size

ORDERING

#: MSRP: HG1 \$99





OVERALL FINISH MII-spec anodized

MATERIAL Aluminum MOUNTING STYLE M-LOK® LENGTH 5.65"

DIAMETER 1.57" WEIGHT 4.80Z COLOR Black

PTR COMPATIBILITY 9R, 9CT, 9C, 9CT-CL, 32P PDWR, PDWR, 51P PDWR,

may fit other like brands of like size

ORDERING

ITEM #: |

\$129

UPC:

HG3





OVERALL FINISH Mil-spec anodized

MATERIAL Aluminum Mounting Style M-lok® Length 9.31"

DIAMETER 1.58"
WEIGHT 7.70z
COLOR Black

PTR COMPATIBILITY 32 KFR, 32K PDWR, K3P PDWR, A3SK, GIRK,


may fit other brands of like size

ORDERING

HG5 \$149

UPC:





OVERALL FINISH Mil-spec anodized

MATERIAL Aluminum MOUNTING STYLE M-LOK®

LENGTH 11.66"
DIAMETER 1.58"
WEIGHT 9.10Z

COLOR Black

PTR COMPATIBILITY GI, GIR, A3S, may fit other brands of like size

ORDERING

ITEM #: HG7

MSRP: \$179

UPC:

PROVEN TRUSTED REFINED





WWW.PTR-US.COM
101 Cool Springs Dr.,
Aynor, 8C 29511

E: info@ptr-us.com

T: [843] 358.2222

F: [843] 358.2223